

SAFETY DATA SHEET

Issuing Date 03-Apr-2007 Revision Date 24-May-2015 Revision Number 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Mothers California Gold Pure Polish

Other means of identification

Product Code(s) 07100, 07102, 07105, 37100

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Car care

Uses advised against No information available

Supplier's details

Supplier Address

MOTHERS POLISHES WAXES CLEANERS 5456 Industrial Drive

Huntington Beach, CA 92649 TEL: 714-891-3364

FAX: 714-893-1827

Emergency telephone number

Emergency Telephone

Number

Chemtrec Phone: 1-800-424-9300 (within the U.S.) or +1 703-527-3887 (outside the U.S.)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Not classified

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word None

The product contains no substances which at their given concentration are considered to be hazardous to health

Appearance White.

Physical State Liquid.

Odor Perfume.

Precautionary Statements

Prevention

None

None

General Advice

Storage

None

Disposal

None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Prolonged or repeated contact may dry skin and cause irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated light	64742-47-8	10-25	*
Paraffinic, naphthenic solvent	64742-47-8	10-25	*
Calcined kaolin clay	66402-68-4	10-25	*
Poly(dimethylsiloxane)	63148-62-9	<5	*
Isopropyl alcohol	67-63-0	<1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice Show this safety data sheet to the doctor in attendance. If symptoms persist, call a

physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water. Consult a physician if necessary.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Get medical attention immediately if symptoms occur.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth

to an unconscious person. Consult a physician.

Protection of First-aidersUse personal protective equipment.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Drowsiness. Dizziness.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

None in particular.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with the skin and the eyes. Use personal protective equipment. Ensure

adequate ventilation. If spilled, take caution, as material can cause surfaces to become very

slippery.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological

Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning UpDam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly. Keep in suitable and closed containers

for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Handle in accordance with good industrial hygiene

and safety practice. Avoid contact with skin and eyes. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

Incompatible ProductsNone known based on information supplied.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light TWA: 5 mg/m ³		TWA: 5 mg/m ³	-
64742-47-8	STEL: 10 mg/m ³	(as oil mist)	
	(as oil mist)		
Calcined kaolin clay	STEL: 10 mg/m ³ Zr	TWA: 5 mg/m ³ Zr	TWA: 5 mg/m³ respirable dust
66402-68-4	TWA: 5 mg/m ³ Zr	(vacated) TWA: 5 mg/m ³ Zr	TWA: 10 mg/m³ total dust
	TWA: 0.2 mg/m ³ Mn	(vacated) STEL: 10 mg/m³ Zr	

Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm IDLH: 2000 ppm 10	
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 980 mg/m ³
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m³ STEL: 500 pp	
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	

Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and Body Protection Protective gloves.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid. Appearance White.

Odor Perfume. Odor Threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

None known pН Melting Point/Range No data available None known **Boiling Point/Boiling Range** No data available None known > 105 °C / > 221.3 °FFlash Point None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limit
lower flammability limit
No data available
No data available

Vapor Pressure No data available None known **Vapor Density** No data available None known **Specific Gravity** No data available None known **Water Solubility** No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known No data available **Decomposition Temperature** None known None known 14000 cps Viscosity

Flammable Properties Not flammable

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Do not freeze. Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

Carbon oxides. None under normal use. Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No known hazard by inhalation. Avoid breathing vapors or mists. Vapors may irritate throat

and respiratory system. May cause drowsiness and dizziness.

Eye Contact Contact with eyes may cause irritation.

Skin Contact Repeated exposure may cause skin dryness or cracking.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Paraffinic, naphthenic solvent	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Poly(dimethylsiloxane)	> 17 g/kg (Rat)	> 2 g/kg (Rabbit)	-
Isopropyl alcohol	= 4396 mg/kg (Rat)	12800 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization May cause sensitization of susceptible persons.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Calcined kaolin clay				X
Isopropyl alcohol		Group 3		

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity Prolonged or repeated contact may dry skin and cause irritation.

Target Organ Effects Aspiration HazardRespiratory system. Eyes. Skin.
No information available.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral378891 mg/kg; Acute toxicity estimate **LD50 Dermal**1103232 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates,		LC50 96 h: = 45 mg/L		LC50 96 h: = 4720 mg/L
hydrotreated light		flow-through (Pimephales		(Den-dronereides
64742-47-8		promelas) LC50 96 h: = 2.2		heteropoda)
		mg/L static (Lepomis		
		macrochirus) LC50 96 h: =		
		2.4 mg/L static		
		(Oncorhynchus mykiss)		
Paraffinic, naphthenic		LC50: 45 mg/L Pimephales		LC50 96 h: = 4720 mg/L
solvent		promelas 96 h flow-through		(Den-dronereides
64742-47-8		LC50: 2.2 mg/L Lepomis		heteropoda)
		macrochirus 96 h static		
		LC50: 2.4 mg/L		
		Oncorhynchus mykiss 96 h		
		static		
Isopropyl alcohol	EC50 96 h: > 1000 mg/L	LC50 96 h: = 11130 mg/L		EC50 48 h: = 13299 mg/L
67-63-0	(Desmodesmus	static (Pimephales		(Daphnia magna)
	subspicatus) EC50 72 h: >	promelas)		
	1000 mg/L (Desmodesmus	LC50 96 h: = 9640 mg/L		
	subspicatus)	flow-through (Pimephales		
		promelas)		
		LC50 96 h: > 1400000 µg/L		
		(Lepomis macrochirus)		

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow
Isopropyl alcohol	0.05

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated MEX Not regulated Not regulated **ICAO** Not regulated IATA IMDG/IMO Not regulated <u>RID</u> Not regulated **ADR** Not regulated Not regulated ADN

15. REGULATORY INFORMATION

International Inventories

TSCA Not determined DSL Not determined

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Calcined kaolin clay	66402-68-4	10-25	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Calcined kaolin clay		X		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Calcined kaolin clay			Х		X

Isopropyl alcohol	X	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 1	Flammability 1	Instability 0	Physical and Chemical
				Hazards N/A
HMIS	Health Hazard 1	Flammability 1	Physical Hazard 0	Personal Protection B

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date03-Apr-2007Revision Date24-May-2015Revision NoteUpdate to Format.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet
